

# fischer Polyurethane Foam Cleaner PUR 1/500

# fischer Polyurethane Foam Cleaner PUR 1/150

Properties	Value	Unit	Method / Remarks
Propellant Basis	Acetone		
Colour	colourless		
Content	500/150	ml	
Storage Temperature	+ 5 to + 20	°C	
Shelf Life	24	months	

## Application Details

For cleaning of PU foam dispensers (straw and gun foam) after application as a matter of routine. For cleaning and degreasing of soiled surfaces. The PU cleaner is a highly effective solvent-based cleaner for thorough removal of uncured and for softening of cured PU foam. Ensures long-lasting functional efficiency of foam dispensers if applied regularly.

PU cleaner spray, equipped with actuator or spray tube respectively: To manually clean excess foam material from PU foam valve, adaptor (valve connection), gun shaft and straw dispenser (adaptor, aerosol nozzle) and to remove foam residues and splashes on several surfaces. Apply cleaner to the uncured foam and wipe off the dissolved foam with cloth.

PU gun cleaner: To flush foam dispenser. After removal of cured foam at the adaptor attach the cleaner can to the gun and pull trigger several times to spray cleaner through the gun. Allow the cleaner to work and repeat flushing. The gun can be stored for a long time if connected with a cleaner.

If you need to store the gun without a can of cleaner or prior to replacement of spare parts it is recommended to repeat cleaning procedure several times until all traces of foam are flushed from the inside of the gun. PU cleaner may interact with sensitive surfaces (e.g. paint, colour, plastic, garments). Test prior to use.

Attention: Cured PU foam is removable only mechanically.

For further details see safety data sheet.

For further safe handling information on this product, consult the Safety Data Sheet (SDS).

The information in this adhesives brochure and our application-technology consulting, verbally and in writing, is given to the best of our knowledge, but is non-binding and is not a guarantee in the sense of § 443 BGB. We recommend that, before using our products, you check the suitability for the intended application. As the individual product can be used for a wide range of applications and the conditions on site that cannot be estimated, we also recommend testing the bonding before using the product.